

TECHNICAL PACKAGE

200A LAKESHORE DRIVE REGINA, SASKATCHEWAN CANADA S4S 7L3

www.conexusartscentre.ca

CONEXUS ARTS CENTRE CAPITAL AUTO THEATRE

Neil Donnelly

Amanda Partridge

Shari Tourscher

Emily Barton

Christine Hamilton

Mitch Zaleschuk

amandap@conexusartscentre.ca

emilyb@conexusartscentre.ca

boxoffice@conexusartscentre.ca

shari.tourscher@conexusartscentre.ca

ADMINISTRATION STAFF

CHIEF EXECUTIVE OFFICER

THEATRE SERVICES MANAGER

DIRECTOR OF CLIENT SERVICES

THEATRE SERVICES ASSISTANT

BOX OFFICE COORDINATOR

TECHNICAL CONTACTS

HEAD STAGE CARPENTER

Gary Exner (306) 565-4529 exner@conexusartscentre.ca

(306) 565-4500

(306)565-4534

(306-565-4516

(306) 565-4504

(306) 565-4500

(306) 565-4531

HEAD AUDIO TECHNICIAN

HEAD LIGHTING TECHNICIAN

head.audio@conexusartscentre.ca

Riley Richter (306) 565-4537 headlighting@conexusartscentre.ca

RENTAL INFORMATION

Please contact Amanda Partridge <u>amandap@conexusartscentre.ca</u> directly for booking information and rates.

CATERING INFORMATION

The Conexus Arts Centre is a fully equipped Banquet and Convention facility. Please contact a Client Service Representative for more information at (306) 565-4500.

BOX OFFICE INFORMATION

The Conexus Arts Centre Box Office (CBO) uses ETIX computerized ticketing software. For more information please contact the Box Office directly at (306) 565-4500.

TECHNICAL INFORMATION

THEATRE SEATING: (Continental style - no center aisle) - Capacity 2031 seats					
	Main Level	1249 (includes 8 wł	•		
	1 at Dalaans	Using the Pit - 1157	,		
	1st Balcony	268			
	2nd Balcony	264			
	3rd Balcony	250		\mathcal{O}	
PROSCENIUM OPE	ENING: Flex Proscer	nium (Moveable Sound	l Towers) 30'H X	(55'W	
FORESTAGE:	U.S.Edge of	f Proscenium to D. S. E	dge of Apron	6' 0″	
			\rightarrow $()^{\vee}$		
WORKSTAGE:	-	f Proscenium to back v	vall	53'9"	
		Centre line to SR		85'8"	
		Centre line to SL		85'8"	
	Overall Widt			171'4"	
	Overall Dept	th of Stage		59'9"	
WING SPACE:	S. L 38'W	X 48'D			
	S. R 38'W	X 26'D			
STAGE DECK:	Stagelam Co	mposite			
	Over 1 1/2"	edge grain spruce			
	Sprung for d	ance			
	Working loa	Working load limit (average) 100 lbs/sq. in.			
ORCHESTRA PIT:	Hydraulic Lif	t D. S. of apron			
		Capacity			
	Travel Rate				
\rightarrow ()	Dimensions:				
	Widt	Width @ U.S. edge			
	Widt	h @ D.S. edge	65'6"		
	Dept	h	13'		
ORCHESTRA SHEL	L: Variable Dep	Variable Depth and Height			
	4 Flown Ceil	4 Flown Ceiling Pieces			
	18 Rolling To	18 Rolling Towers			
	Approximate	Approximate time required to set up – 1.5 hours			
GENIE LIFT:	In house 35'	Genie Lift with rechar	geable DC		

RISERS:	New Risers: 26 – 4x8', 8 – 4x6', 2 – 4' (v 8" to 24")	arious leg heights available		
	Older Style: all 4' x 8' decks			
	Heights: 20 @ 8", 20 @ 16", 20 @ 24", 1	16 @ 32"		
FLY SYSTEM:	Double Purchase Counterweight			
	Lock rail located @ S.R. Gallery			
	Batten Length	75'		
	Batten Diameter	2 & 7/8ths "		
	Line Distance - 8" Centres			
GRID HEIGHT:	92' Main Grid			
	65' Forestage Mini Grid (FOH LX points	& Audio)		
PIANOS:	Performance Quality			
	2 - 9' Steinway Grand			
	1 - Yamaha U3 Upright			
	1 – Heintzman Baby Grand (Theatre Lob	oby)		
MUSIC STANDS:	Manhasset	30		
	Lights	30		
	Loading Area	27' X 38'		
	U. S. Right - Direct access to stage area	27 7 30		
	Dock level equal to Truck loading level			
	Capacity - 2 Truck Sealed Bays			
	Unlimited Bus and Truck Parking			
0	No Parking Permits Required			
	Shore Power available upon request			
STAGE POWER:	Located Onstage			
	3-400 amp services 3 Phase (2 W/Camlock Located MSR)			
	2-200 amp services 3 Phase (W/Camlock, 1 MSR, 1 DSL)			
	4-50 amp services single phase (w/Sto	ve Plug Located DSR, DSL,		
	MSL, MSR)			
LABOR:	Stagehands/Wardrobe/Hair & Make Up	Technicians		
	Supplied through IATSE Local #295 Yellow Card may be sent to Business Agent or Stage Carpenter at: 2004 Lakeshore Drive			
	200A Lakeshore Drive			
	200A Lakeshore Drive			

DRESSING ROOMS:	Stage Level: 6 rooms: 2 - 4 persons All equipped with sink, toilet, shower, mirror & lights		
	Green Room Comfortable setting for 20 - 30 persons		
	2nd Level: 2 Chorus Dressing Rooms: 20 - 30 persons All equipped with sink, toilet, shower, mirror & lights		
	1 Dressing Room/Rehearsal Room: 20-30 persons Equipped with sink, toilet, shower, mirror & lights, Mirrors/Barre/Wood floor		
REHEARSAL ROOM:	3rd Level Mirrors/Barre/Wood floor (approximately 1456 sq ft) Only available with prior written notice		
WARDROBE: 2nd Level 2 irons & boards, steamer, 2 Washers & 3 Dryers			

CONEXUS ARTS CENTRE - AUDIO

CONTACT: MITCH ZALESCHUK – Head Audio Technician

House Mix Position - Permanent in booth on the main floor under the 1st balcony. Tour Mix Position - Last 3 Rows of the Main Level Under the First Balcony - 20 seats per row Rental costs apply to some audio equipment – contact us for a quote.

Touring Audio Power:

200 Amp/3 Phase W/Camlock Connection (Stage Left Downstage Wall) Refer to Stage setup for other power specs.

HOUSE SPEAKER SYSTEM: (Rental costs apply)

12 Adamson S10 hi-mid cabinet per side 6 Adamson iS119 subwoofer per side 6 Adamson iS7p front fill Lab Gruppen D120/D200 amplifiers, Lake processing Tour patch available at FOH or DSL for LEFT, RIGHT, SUBS, FILLS using analog or Dante via Lake LM44

Centre Cluster (mono) 2 EAW LF SB118 subwoofer 4 EAW KF300 mid-hi EAW MX300i Processor, QSC amplification

HOUSE CONSOLES:

Yamaha QL5 Permanently located in Audio Booth - **no remote I/O** Yamaha M7CL-48

MONITORS:

5 Yamaha CM15V 2 QSC PLX2402 amplifiers

HOUSE DISTRIBUTED PROGRAM/PAGING SYSTEM

Backstage Paging System - combination of Toa and Bose, with individual volume control per dressing room.

HOUSE INTERCOM:

Wired Technical Projects Clear Com System Patch points available DSL, DSR, MSL, MSR, USL, USR, Fly Rail, and Tour Mix Position Permanent Posts located in Audio Booth, LX Booth, Spot Booth (x4), Fly Rail 12 Technical Projects Beltpack 12 Technical Projects Headset

MICROPHONES

- 9 Sennheiser e845
- 2 Sennheiser e845s
- 6 Shure SM 57
- 2 Shure SM58S
- 10 Shure SM58
- 1 Shure Beta 56
- 1 Sennheiser MD421
- 5 Sennheiser e604
- 1 Sennheiser e901
- 2 Sennheiser e609
- 2 Sennheiser e914
- 2 AKG 214
- 5 Rode NT-5
- 2 Crown PCC-160
- 1 Crown PZM-30PG
- 2 Neumann KM184

DI'S:

- 2 Radial Pro D2
- 4 Radial Pro D1
- 3 Radial JDI
- 1 Radial JDI Stereo
- 1 Whirlwind HotBox
- 4 ART AV Direct
- 4 Radial ProAV1

WIRELESS MICROPHONES

8 Sennheiser ew300G3 Receivers: 8 Sennheiser skm300G3 845 handheld 8 Sennheiser sk300 G3 belt packs 8 Apex 575 headset mics 1 Shure ULXD4Q-G50 *installed in audio booth 4 Shure ULXD1 Body pack 4 Shure ULXD2 handheld transmitter with SM58 capsule 5 Shure TH53 headsets (1 black, 4 beige)

OTHER EQUIPMENT:

EAW KF650/SB528 system consisting of 2 EAW SB528, 4 EAW KF650E with Xilica Processing, Yamaha PCN Amplifiers

10 Yamaha DXR12/DXR12mkll 2 Yamaha DXS18XLF 2 Yamaha DSR118W 1 Yamaha MSR100 (Portable Powered Speaker) 2 Mackie SRM150

AV Equipment:

2 Panasonic ET-DLE085 short throw zoom lens
2 Da-Lite 38315 fast fold screen – 88"x140"
2 Panasonic PTRX870BU 8500 lumen projectors
2 PTZ Optics PT20X-NDI-ZCAM box camera
4 PTZ Optics 20X-NDI PTZ camera
1 PTZ Optics PTZ camera joystick/controller
1 Roland V160HD video switcher
1 Roland V1-SDI video switcher
2 Roland UVC-01 capture card
8 Blackmagic HDMI to SDI converter
8 Blackmagic SDI to HDMI converter
1 Blackmagic Designs ATEM Mini Pro ISO
1 Atomos Shinobi 7 monitor
2 ViewSonic 24" monitors

CONEXUS ARTS CENTRE - THEATRE INVENTORY

ITEM

QUANTITY NOTES

CONTROL		
ETC IonXE 20 console	2	One main, One backup
ETC Eos 40Ch fader wing	1	Connected to main console
ETC remote tablet	1	
_		
AUTOMATION/LED		
Martin AuraXB	40	32 hung permanently, 8 available in floor package
Martin Quantum Profile	18	12 hung permanently, 6 available in floor package
ETC Colorsource 6' Linear	20	14 hung permanently, 6 available in floor package
Elation Cuepix Blinder WW4	8	4 hung permanently, 4 available in floor package
ChromaQ Colorforce72	26	9 hung permanently, 9 available in floor package, 8 on boom kit
		boom kit
CONVENTIONAL		
ETC Source4 Zoom 23-50°	48	Permanently hung Near FOH and Far FOH
ETC Source4 Body	48	Various hang location, additional fixtures available
ETC Source4 Barrel 10°	2	Some used in house hang, others available
ETC Source4 Barrel 19°	6	Some used in house hang, others available
ETC Source4 Barrel 26°	18	Some used in house hang, others available
ETC Source4 Barrel 36°	28	Some used in house hang, others available
ETC Source4 Barrel 50°	4	Some used in house hang, others available
ETC Source4 Par	19	14 hung, 5 available
Strand SL Zoom 23-50°	6	Used in house hang
Strand SL 26°	4	Used in house hang
FOLLOWSPOT	-	
Lycian M2 Followspot	2	
Strong Super Trouper Followspot	2	
ATMOSPHERE		
LaMaitre Radiance Hazer	2	DMX Controllable
Ultratec Versa-fan	2	DMX Controllable
AUXILIARY		
Pinspot	50	
Festoon string (50')	47	
Small white christmas light string (100')	40	
Side boom	8	Adjustable from 6-10', with top cross pipe for additional fixture position

- When possible, a lighting plot would be appreciated in advance of arrival

- Accessories, such as power distribution for band equipment, orchestra lights, offstage worklight, specials and most other incidental equipments are available

- Please advise us of any special requirements in advance of the show arrival

- House automated fixtures can be removed, but can not be relocated

CONVENTION HALL


Quantity	Make/Item	<u>Notes</u>
1	ETC Smartfade console	
14	ETC Source4 par	Full lens kit available
6	ETC Source4 jr 25°-50° leko	
4	Strand Axial leko	

SHUMIATCHER THEATRE

Quantity	Make/Item	Notes
1	Johnson Controls 12ch. console	Mounted in rear wall of space
1	DMX-IN port for external console control	Located at FOH
6	Strand Axial leko 6x12	
9	Strand Axial leko 6x16	

THEATRE LOBBY

Quantity	Make/Item	<u>Notes</u>
1	ETC Colorsource20 console	Located in theatre booth
4	ETC ColorSource4 LED leko	2@26°/2@36°



CONEXUS ARTS CENTRE - LINESET SCHEDULE

LINESET	PURPOSE	DISTANCE FOM LX 1	ARBOUR TYPE	MAX BATTEN WEIGHT RESTRICTIONS	Notes
1	First Electrics	0'0"	LARGE	1400lb	
2	Grand Valance	1'	SMALL	900lb	
3	Grand Drape	1'8"	LARGE	1400lb	DIFFICULT PULL WHEN GUILLOTINE
4	REMOVED		N/A		
5	Electrics TRUSS	2'10"	N/A	>2000lb	LX BRIDGE TRUSS
6	Leg #1	5'6"	SMALL	900lb	ADJUSTABLE OPENING ON 20' TRACK
7	Acoustical Baffle	6'6"	N/A		MOTOR ASSISTED ORCHESTRA BAFFLE
8	Border #1	8'5"	SMALL	900lb	
9	SPARE	9'1"	SMALL	900lb	
10	SPARE	9'9"	SMALL	900lb	
11	Leg #2	10'4"	MEDIUM	1100lb	ADJUSTABLE OPENING ON 20' TRACK
12	SPARE	10'11"	SMALL	900lb	
13	Second Electrics	12'	X-LARGE	1300lb	
14	Border #2	13'1"	SMALL	900lb	
15	SPARE	13'8"	SMALL	900lb	
16	1/4 Stage Traveller	14'8"	MEDIUM	1100lb	USED AS LEG WHEN NOT FULL BLACK
17	SPARE	15'3"	SMALL	900lb	
18	SPARE	15'9"	SMALL	900lb	
19	Acoustical Baffle	17'	N/A		MOTOR ASSISTED ORCHESTRA BAFFLE
20	SPARE	18'3"	SMALL	900lb	
21	SPARE	18'11"	SMALL	900lb	
22	Border #3	19'7"	SMALL	900lb	
23	SPARE	20'2"	MEDIUM	1100lb	
24	Leg #3	20'11"	SMALL	900lb	ADJUSTABLE OPENING ON 20' TRACK
25	SPARE	21'6"	SMALL	900lb	
26	Third Electrics	22'4"	X-LARGE	1300lb	
27	Border #4	23'11"	SMALL	900lb	
28	SPARE	24'9"	SMALL	900lb	
29	1/2 Stage Traveller	25'5"	LARGE	1400lb	USED AS LEG WHEN NOT FULL BLACK
30	SPARE	26'4"	SMALL	900lb	
31	SPARE	27'3"	SMALL	900lb	
32	SPARE	27'11"	SMALL	900lb	
33	Acoustical Baffle	28'8"	N/A		MOTOR ASSISTED ORCHESTRA BAFFLE
34	SPARE	30'	SMALL	900lb	
35	SPARE	30'8"	SMALL	900lb	
36	Border #5	31'4"	SMALL	900lb	
37	SPARE	31'11"	SMALL	900lb	
38	Leg #4	32'6"	MEDIUM	100lb	ADJUSTABLE OPENING ON 20' TRACK
39	SPARE	33'1"	SMALL	900lb	
40	Fourth Electrics	34'5"	X-LARGE	1300lb	
41	SPARE	35'1"	SMALL	900lb	
42	SPARE	35'9"	SMALL	900lb	
43	3/4 Stage Traveller	36'9"	MEDIUM	1100lb	USED AS LEG WHEN NOT FULL BLACK
44	SPARE	37'5"	SMALL	900lb	
45	SPARE	37'11"	SMALL	900lb	
46	Acoustical Baffle	39'8"	N/A		MOTOR ASSISTED ORCHESTRA BAFFLE
47	SPARE	41'9"	SMALL	900lb	
48	Border #6	42'5"	SMALL	900lb	
49	SPARE	43'1"	SMALL	900lb	
50	SPARE	43'9"	SMALL	900lb	
51	Fifth Electrics	45'	X-LARGE	1300lb	
52	SPARE	45'6"	SMALL	900lb	
53	BORDER #7	46'3"	SMALL	900lb	
54	SPARE	47'	SMALL	900lb	
55	US Traveller	47'8"	MEDIUM	1100lb	USED AS LEG WHEN NOT FULL BLACK
56	SPARE	48'5"	SMALL	900lb	
57	SPARE	49'	SMALL	900lb	
58	CYCLORAMA	49'8"	SMALL	900lb	
59	SPARE	50'5"	SMALL	900lb	

PLEASE NOTE PIPE BATTEN DIAMETER IS 2&7/8" RATHER THAN 2" IF 2" IS REQUIRED, PLEASE CONTACT US IN ADVANCE TO MAKE PROPER ARRANGEMENTS

Batten Weight Restrictions: Small - 900 lbs, Medium - 1100 Lbs, Large - 1400 lbs (1 available, #29), Extra Large - 1300 lbs